STATE OF VERMONT AGENCY OF NATURAL RESOURCES DEPARTMENT OF ENVIRONMENTAL CONSERVATION WATERSHED MANAGEMENT DIVISION



10 V.S.A. Chapter 47 Permit Application Form WR-82

Emergency Pollution Permit Indirect Discharge Permit Pretreatment Discharge Permit	Action Requested: (Check () one) or B Original Permit E Renewal * I Amendment * B Transfer * * Permit # 3-1210
Status of Discharge: (Check () one) Proposed Existing	Nature of Waste: (Check () one) ☑ Sanitary (domestic sewage only) ☐ Non-Sewage/Industrial ☐ Stormwater (surface or subsurface disposal)
For DEC Use: PIN RU98-0028 Reviewer:	
1. Applicant: Town of Midd	1/2 bury Middlebur
Legal Entity: Mun; espals by (Individual, corporation, p.	artnership, firm, state agency, municipality, etc.)
2. Mailing Address: 94 Main Stra	ret, Middlebury, VT 05753
3. Contact Dan Werner, Dira Telephone: 802 388-4045	
E-Mail Address: dwerner@ to	wn of middle bury. org
	bury Wastwater Treatment Facility Corp., Clark Lake State Park, Green Motel, etc.)
The second secon	Treatment aper mill, state park, motel, etc.)
	rewery, American Hard Cider
7. Name of Landowner: Town of M	
8. Location: 243 Industrial A	trenue Town: Middlebury
No If no, document changes on a separa completed regardless if changes have occurred	he previous application still valid in <u>all</u> respects? Yes te attachment. (Note: appropriate Schedule must be ed.)

10.	Receiving	Water	for	Indirect	Discharges:
-----	-----------	-------	-----	----------	-------------

Otter Creek

II. Pretreatment and Direct Discharges ONLY: Using a separate serial number (S/N), identify each independent discharge which will result from the activity described above. Attach a separate schedule for each discharge identified below.

Discharge	Receiving Water	Latitude/Longitude (optional)
S/N 001	See ATTACHMENT A	
S/N 002		
S/N 003		
S/N 004		
S/N 005		8

Use an attached sheet for additional discharges.

12. 3 V.S.A. Section 2822 Fees: Call 802-490-6106 for assistance calculating the application review fee.

120		
\$100.00 Administrative Processing Fee	\$ 120 Too	Does not apply to Emergency Pollution Permits
Plus Application Review Fee		Does not apply to renewal applications
Total Fee Enclosed	# 120 00 \$0.00	Payment by check or money order, please

I CERTIFY THAT TO THE BEST OF MY KNOWLEDGE AND BELIEF THE INFORMATION SUBMITTED ABOVE IS TRUE, ACCURATE AND COMPLETE. I RECOGNIZE THAT BY SIGNING THIS APPLICATION I AM GIVING CONSENT TO EMPLOYEES OF THE STATE TO ENTER THE SUBJECT PROPERTY FOR THE PURPOSE OF PROCESSING THIS APPLICATION.
Robert T. Wells, Wastewater Superintendent - Town of Middlebury MAME AND TITLE OF APPLICANT OR LEGALLY AUTHORIZED REPRESENTATIVE (please print)
Lobe PTVells 3-25-13
SIGNATURE
NAME AND TITLE OF CO-APPLICANT OR LEGALLY AUTHORIZED REPRESENTATIVE (please print)
SIGNATURE DATE
This application must be signed by the applicant or an officer in the applicant=s business, a municipal official, etc. The application <u>CANNOT</u> be signed by the applicant=s attorney, engineer, contractor, etc.

Submittal of Application: Attach appropriate schedules, administrative processing and application review fees, plans, specifications and other supporting material. Send application to:

VT Department of Environmental Conservation Watershed Management Division One National Life Drive, Main Bldg, 2nd Floor Montpelier VT 05620-3522

SCHEDULE A: MUNICIPAL TREATMENT PLANTS WR-82A

		CHAP	TER 47 OF TITLE	710 V.S.A.		7-121	0
CHED	OULE 1 - MUNICIPA	AL DISCHARGES			DATE:	3-25-1	
\-1	APPLICANT: ACTIVITY:	Town of wasterater	Middlebu - Treat m	ext			
A-2:	DISCHARGE: S/N DESIGNATIO	3-1210 ON: 001 For each	n discharge point, e	nter a S/N designa	ntion (001,	002, 003, etc)	la des
A-3:	THE TREATMENT	ON ON RECEIVING W T FACILITY, EMERGI N THE SEWER SYSTI	ENCY BYPASS/S	AT THE TREAT	MENT FA	CILITY, EMER	GENCY
	See A	tt AcHment of	4" and e	uclosed M	neup 3	1 1	
- 4:	DESCRIBE, AND A SEWERED AREA DISCHARGE APP	ATTACH MAP OF CO OR AREA TO BE SEV LIES:	ORPORATE BOUN WER AND SERVE	NDARIES, INCLU ED BY THIS DISC	JDING BO CHARGE, T	UNDARIES OI ΓΟ WHICH TH	r IIS
	See A	++ AcHMent	"B"				
5:	PERCENTAGE OF IF LESS THAN 100	ATED POPULATION THIS POPULATION 0%, HOW ARE WAST	SERVED BY THI ES FROM REMA	S DISCHARGE INING POPULAT	ION DISP		
	of that waste	ter from the re is treated her	emamy 19	ke in sept	age from	tranks it nd m 4 hauter	some
-6:		AILY VOLUME OF W			0		
	RESIDENTIAL COMMERCIAL		186,975 386,775	GPD GPD			į
	INDUSTRIAL OTHER TOTAL		940,000	GPD GPD GPD			

A-7: LIST AND DESCRIBE INDIVIDUAL CONTRIBUTORS WHOSE DISCHARGE IS EXPECTED TO EXCEED 5% OF THE TOTAL IN ITEM A-6 OR WHOSE WASTES CONTAIN TOXIC OR OTHER COMPONENTS WHICH MAY EFFECT COMPOSITION OF TOTAL WASTE LOAD:

	Name	Activity	Waste	Volume (GPD)
Cat	pot	Chapse makine		339,735
Otto	er Creek Brewing	Brewery	2 ATTACHMENT	9,721
Ame	erican Hard Cider	Mara Cider Producer	C	16,800
	ī.			
A-8:	COLLECTION SYSTEM: NUMBER OF PUMPING S NUMBER OF AIR EJECTI	TATIONS IN COLLECTION SYSTE		BINED SEWER
A-9:	ARE WASTES CURRENT IF, "YES" WHAT LEVEL O	LY BEING TREATED? YES F TREATMENT IS PROVIDED? P]NO PRIMARY ØSECONDARY □O	THER (describe):
	5BR system with handling followed	d by RDP system to	we Komeline Presse produce Class A	s for solids Brosolids
A-10:		LY BEING CHLORINATED PRIOR		
A-11:	DESIGN OR UNDER CON BE CONSTRUCTED, LEV	FACILITIES OR MODIFICATIONS T STRUCTION? TYES TOO IF, " EL OF TREATMENT, DESIGN CAP EDULE LEADING TO ATTAINMEN	YES" DESCRIBE TYPE OF FAC ACITY, CURRENT STATUS O	CILITIES TO F PROJECT
A-12:		OR WILL BE, RESPONSIBLE FOR CERTIFIED BY THE AGENCY OF N YES □NO		
	NUMBER OF OPERATOR	S CURRENTLY EMPLOYED AT TH	HE TREATMENT FACILITY?	5
	TOTAL NUMBER OF HOUTREATMENT FACILITY.	JRS PER WEEK SPENT ON OPERA	TION AND MAINTENANCE O	F THE
A-13:	APPLICABLE TO AERAT	ID PROCEDURES USED FOR SLUE ED LAGOONS OR STABILIZATION		SAL (NOT
	See ATTACH	Ment 'D"		

ARE SLUDGE DISPOSAL PROCEDURE AND/OR SITES CERTIFIED (INCLUDING INTERIM CERTIFICATION) UNDER VERMONT'S SOLID WASTE MANAGEMENT RULES? WES \square NO

SCHEDULE A: MUNICIPAL TREATMENT PLANTS WR-82A

DULE 1 - MUI	NICIPAL DISCHARGES			DATE: 3-25-13
A DDI AGANE	Towns of A	Niddlebury		
APPLICANT ACTIVITY:		er Trest m		
ACTIVITI:	Waste was	er iream	en	The high second
DISCHARG	E:		z z	
	NATION: 002 For 6	each discharge poi	nt, enter a S/N des	ignation (001, 002, 003, etc)
	1 Lx			
EXACT LOC	CATION ON RECEIVING	WATER (describ	be and locate on m	ap) INCLUDE THE OUTFALL FRO
THE TREAT	MENT FACILITY, EME	RGENCY BYPAS	ED SEWED OVE	ATMENT FACILITY, EMERGENO RFLOWS AND DRY WEATHER
OVEDELON	IC.			
7/2/201	1 1 1 1	lan re ela	alle on the	enclosed map, The
The le	catton of This	1100 13 500	own or ju	enerose megs, the
acea w	here this disc	charge oce	us 18 in	a marsh onea
close	the the otter	Crecke.		
n n				
CURRENT		ONLINE A DOME D	OTDIDADIES F	
	STIMATED POPULATIONS GE OF THIS POPULATION GEOF			E %.
II. PESS III.	AN 100%, HOW ARE WA	STES FROM RE	MAINING POPUI	
II LESS III	AN 100%, HOW ARE WA	ASTES FROM RE	MAINING POPUI	LATION DISPOSED OF?
IF LESS TIE	AN 100%, HOW ARE WA	ASTES FROM RE	MAINING POPUI	
II LESS III	AN 100%, HOW ARE WA	STES FROM RE	MAINING POPUI	
, -	. g . e	. 7	**************************************	LATION DISPOSED OF?
, -	. g . e	. 7	**************************************	
APPROXIMA RESIDENT	ATE DAILY VOLUME O	. 7	r than stormwater)	LATION DISPOSED OF?
APPROXIMA RESIDENT COMMERC	ATE DAILY VOLUME O IAL CIAL	. 7	r than stormwater) GPD GPD	LATION DISPOSED OF?
APPROXIMA RESIDENT: COMMERCINDUSTRIA	ATE DAILY VOLUME O IAL CIAL	. 7	GPD GPD GPD GPD	LATION DISPOSED OF?
APPROXIMA RESIDENT COMMERCI INDUSTRIA OTHER	ATE DAILY VOLUME O IAL CIAL	. 7	r than stormwater) GPD GPD	LATION DISPOSED OF?

LIST AND DESCRIBE INDIVIDUAL CONTRIBUTORS WHOSE DISCHARGE IS EXPECTED TO EXCEED 5% A-7: OF THE TOTAL IN ITEM A-6 OR WHOSE WASTES CONTAIN TOXIC OR OTHER COMPONENTS WHICH MAY EFFECT COMPOSITION OF TOTAL WASTE LOAD: Volume (GPD) Activity Waste Name COMBINED SEWER COLLECTION SYSTEM: SEPARATE SANITARY SEWER A-8: NUMBER OF PUMPING STATIONS IN COLLECTION SYSTEM: NUMBER OF AIR EJECTION STATIONS: ARE WASTES CURRENTLY BEING TREATED? YES NO A-9: IF, "YES" WHAT LEVEL OF TREATMENT IS PROVIDED? PRIMARY SECONDARY OTHER (describe): A-10: ARE WASTES CURRENTLY BEING CHLORINATED PRIOR TO DISCHARGE?

YES NO ARE NEW TREATMENT FACILITIES OR MODIFICATIONS TO EXISTING FACILITIES IN PLANNING, A-11: DESIGN OR UNDER CONSTRUCTION? TYES ON IF, "YES" DESCRIBE TYPE OF FACILITIES TO BE CONSTRUCTED, LEVEL OF TREATMENT, DESIGN CAPACITY, CURRENT STATUS OF PROJECT AND ANTICIPATED SCHEDULE LEADING TO ATTAINMENT OF OPERATIONAL LEVEL. A-12: IS THE PERSON WHO IS, OR WILL BE, RESPONSIBLE FOR OPERATION AND MAINTENANCE OF THE TREATMENT FACILITY CERTIFIED BY THE AGENCY OF NATURAL RESOURCES AS A TREATMENT PLANT OPERATOR? YES NO NUMBER OF OPERATORS CURRENTLY EMPLOYED AT THE TREATMENT FACILITY? TOTAL NUMBER OF HOURS PER WEEK SPENT ON OPERATION AND MAINTENANCE OF THE TREATMENT FACILITY. DESCRIBE METHODS AND PROCEDURES USED FOR SLUDGE PROCESSING AND DISPOSAL (NOT APPLICABLE TO AERATED LAGOONS OR STABILIZATION PERIODS). ARE SLUDGE DISPOSAL PROCEDURE AND/OR SITES CERTIFIED (INCLUDING INTERIM

CERTIFICATION) UNDER VERMONT'S SOLID WASTE MANAGEMENT RULES? YES NO

SCHEDULE A: MUNICIPAL TREATMENT PLANTS WR-82A

SCHEL	OULE 1 - MUNICIPAL DIS	SCHARGES			DATE: 3-25	-13
A-1	ALL DICILIAL.	own of asternates	Middlebu Treat me			
A-2:	DISCHARGE:		. *		gnation (001, 002, 003, etc	c)
A-3:	THE TREATMENT FAC	ILITY, EMERG	ENCY BYPASS	S/S AT THE TRE	ap) INCLUDE THE OUTF ATMENT FACILITY, EN RFLOWS AND DRY WE	MERGENCY
	The location on the Otter	of this !. Ceels.	Map Encl	est below losed.	the water hevel)
		te p		-1 -1		
\-4 :					CLUDING BOUNDARIES ISCHARGE, TO WHICH	
	,					
	1 · · · · · · · · · · · · · · · · · · ·					
x-5:	CURRENT ESTIMATED PERCENTAGE OF THIS IF LESS THAN 100%, HO	POPULATION	SERVED BY T	HIS DISCHARG		
		- 1)			
-6:	APPROXIMATE DAILY	VOLUME OF V	WASTES (other t	than stormwater)	COLLECTED BY SYSTE	EM.
	RESIDENTIAL		T	GPD		
	COMMERCIAL			GPD	\neg	
	INDUSTRIAL			GPD	7 1	
	OTHER	1	La Y	GPD		
	TOTAL		0	GPD		

LIST AND DESCRIBE INDIVIDUAL CONTRIBUTORS WHOSE DISCHARGE IS EXPECTED TO EXCEED 5% A-7: OF THE TOTAL IN ITEM A-6 OR WHOSE WASTES CONTAIN TOXIC OR OTHER COMPONENTS WHICH MAY EFFECT COMPOSITION OF TOTAL WASTE LOAD: Waste Volume (GPD) Activity Name COMBINED SEWER ☐ SEPARATE SANITARY SEWER A-8: COLLECTION SYSTEM: NUMBER OF PUMPING STATIONS IN COLLECTION SYSTEM: NUMBER OF AIR EJECTION STATIONS: A-9: IF, "YES" WHAT LEVEL OF TREATMENT IS PROVIDED? PRIMARY SECONDARY OTHER (describe): A-10: ARE WASTES CURRENTLY BEING CHLORINATED PRIOR TO DISCHARGE? ☐YES ☐NO A-11: ARE NEW TREATMENT FACILITIES OR MODIFICATIONS TO EXISTING FACILITIES IN PLANNING, DESIGN OR UNDER CONSTRUCTION? TYPES OF IF, "YES" DESCRIBE TYPE OF FACILITIES TO BE CONSTRUCTED, LEVEL OF TREATMENT, DESIGN CAPACITY, CURRENT STATUS OF PROJECT AND ANTICIPATED SCHEDULE LEADING TO ATTAINMENT OF OPERATIONAL LEVEL. A-12: IS THE PERSON WHO IS, OR WILL BE, RESPONSIBLE FOR OPERATION AND MAINTENANCE OF THE TREATMENT FACILITY CERTIFIED BY THE AGENCY OF NATURAL RESOURCES AS A TREATMENT PLANT OPERATOR? YES NO NUMBER OF OPERATORS CURRENTLY EMPLOYED AT THE TREATMENT FACILITY? TOTAL NUMBER OF HOURS PER WEEK SPENT ON OPERATION AND MAINTENANCE OF THE TREATMENT FACILITY. A-13: DESCRIBE METHODS AND PROCEDURES USED FOR SLUDGE PROCESSING AND DISPOSAL (NOT APPLICABLE TO AERATED LAGOONS OR STABILIZATION PERIODS). ARE SLUDGE DISPOSAL PROCEDURE AND/OR SITES CERTIFIED (INCLUDING INTERIM

CERTIFICATION) UNDER VERMONT'S SOLID WASTE MANAGEMENT RULES? YES NO

SCHEDULE A: MUNICIPAL TREATMENT PLANTS WR-82A

SCHEE	OULE 1 - MUNICIPA	AL DISCHARGES			DATE:	3-25-13
A-1	APPLICANT: ACTIVITY:	Town of Waskwat	Middle er treatm			
A-2:	DISCHARGE: S/N DESIGNATIO	ON: ON For e	ach discharge poin	t, enter a S/N desi	gnation (001	, 002, 003, etc)
A-3:	THE TREATMENT BYPASS/S WITHI OVERFLOWS:	FACILITY, EMER N THE SEWER SY	RGENCY BYPASS STEM, COMBINE	S/S AT THE TRE ED SEWER OVER	ATMENT FA	E THE OUTFALL FROM ACILITY, EMERGENCY ND DRY WEATHER
	The locas	tion of the fation and reli. Map	s line run	s beside	the Ba	ttel Block
	7.00 1000	- A-w and	How do	schereso	nthe =	sideof the
	pump 81	atom and	la la	security of		
	Otter Cu	reli. Map	euch sea			
			1	/	1	
A-4:	DESCRIBE, AND A SEWERED AREA DISCHARGE APPI	OR AREA TO BE S	CORPORATE BO SEWER AND SER	UNDARIES, INC VED BY THIS D	CLUDING BO ISCHARGE,	OUNDARIES OF , TO WHICH THIS
	DISCHMODIATI					
4-5 :	CURRENT ESTIMA					
	PERCENTAGE OF					%.
	IF LESS THAN 100	, HOW ARE WA	STES FROM REM	IAINING POPUL	ATION DIS	POSED OF ?
						1 1 1
A-6 :	APPROXIMATE D	AILY VOLUME OF	F WASTES (other	than stormwater)	COLLECTE	D BY SYSTEM.
	RESIDENTIAL			GPD		
	COMMERCIAL			GPD		
	INDUSTRIAL		1 - 1 - 1 -	GPD		
	OTHER	Ę I		GPD	_	
	TOTAL -		1 0	GPD	1	

	Name	Activity	Waste	Volume (GPD)
A-8:	COLLECTION SYSTEM: NUMBER OF PUMPING S NUMBER OF AIR EJECTI	SEPARATE SANITARY: TATIONS IN COLLECTION SYSTE ON STATIONS:		MBINED SEWER
A-9:	ARE WASTES CURRENT! IF, "YES" WHAT LEVEL O	LY BEING TREATED? ☐YES ☐ F TREATMENT IS PROVIDED? ☐F]NO PRIMARY	OTHER (describe):
A-10:	ARE WASTES CURRENTI	LY BEING CHLORINATED PRIOR	TO DISCHARGE? YES	□no
A-11:	DESIGN OR UNDER CON BE CONSTRUCTED, LEVI	FACILITIES OR MODIFICATIONS 7 STRUCTION? □YES □NO IF, " EL OF TREATMENT, DESIGN CAP	YES" DESCRIBE TYPE OF FA	ACILITIES TO
	AND ANTICIPATED SCH	EDULE LEADING TO ATTAINMEN	NT OF OPERATIONAL LEVE	L.
	AND ANTICIPATED SCHI	EDULE LEADING TO ATTAINMEN	IT OF OPERATIONAL LEVE	L.
	AND ANTICIPATED SCH	EDULE LEADING TO ATTAINMEN	IT OF OPERATIONAL LEVE	L.
A-12:	IS THE PERSON WHO IS,	EDULE LEADING TO ATTAINMEN OR WILL BE, RESPONSIBLE FOR CERTIFIED BY THE AGENCY OF N	OPERATIONAL LEVEI	L. JANCE OF THE
A-12:	IS THE PERSON WHO IS, TREATMENT FACILITY OPERATOR?	EDULE LEADING TO ATTAINMEN OR WILL BE, RESPONSIBLE FOR CERTIFIED BY THE AGENCY OF N	OPERATIONAL LEVEI OPERATION AND MAINTEN IATURAL RESOURCES AS A	L. JANCE OF THE
A-12:	IS THE PERSON WHO IS, TREATMENT FACILITY OPERATOR?	EDULE LEADING TO ATTAINMEN OR WILL BE, RESPONSIBLE FOR CERTIFIED BY THE AGENCY OF N YES □NO	OPERATIONAL LEVEL OPERATION AND MAINTEN IATURAL RESOURCES AS A	JANCE OF THE TREATMENT
A-12: A-13:	IS THE PERSON WHO IS, TREATMENT FACILITY OPERATOR? NUMBER OF OPERATOR. TOTAL NUMBER OF HOUTREATMENT FACILITY. DESCRIBE METHODS AN	EDULE LEADING TO ATTAINMEN OR WILL BE, RESPONSIBLE FOR CERTIFIED BY THE AGENCY OF N YES □NO S CURRENTLY EMPLOYED AT TH	OPERATION AND MAINTEN NATURAL RESOURCES AS A HE TREATMENT FACILITY? TION AND MAINTENANCE	JANCE OF THE TREATMENT OF THE

SCHEDULE A: MUNICIPAL TREATMENT PLANTS WR-82A

DULE 1 - MUNICIPAL DISCHA	RGES	DATE: 3	-25-13
APPLICANT: Town	of Middlebu	re fraintie acti	A Syring Color
	Lewater Treat "		
nenviii.	county judge		TEXT SEE WHITE
DISCHARGE:			
S/N DESIGNATION: 013	For each discharge point, e	enter a S/N designation (001, 002	, 003, etc)
THE TREATMENT FACILITY BYPASS/S WITHIN THE SEV OVERFLOWS:	Y, EMERGENCY BYPASS/S VER SYSTEM, COMBINED	and locate on map) INCLUDE TH AT THE TREATMENT FACIL SEWER OVERFLOWS AND D S beside the ma a manhole which love it enters the	ITY, EMERGENCY RY WEATHER
1 1 1 10 1	De la companya della companya della companya de la companya della	a markela which	11 2000
Station The a	13 charges 11	a meanote was	9063
in to the storm	1 system be	love it extens the	Ofter Cook
Mas euclose	de man sur		a Milli Departs
er Britadae granda artenda		o wywa rawana ya kata na wa Waliota wa katao	
Am a starting form and where			
			n teachild
CUDDENT ESTIMATED DOD	III ATION IN ADOVE DOID	JDADIES	
CURRENT ESTIMATED POPUPERCENTAGE OF THIS POPU			%.
PERCENTAGE OF THIS POPU	JLATION SERVED BY THI		%. ED OF?
PERCENTAGE OF THIS POPU	JLATION SERVED BY THI	S DISCHARGE	
PERCENTAGE OF THIS POPU	JLATION SERVED BY THI	S DISCHARGE	
PERCENTAGE OF THIS POPU	JLATION SERVED BY THI	S DISCHARGE	
PERCENTAGE OF THIS POPULE IF LESS THAN 100%, HOW A	JLATION SERVED BY THI RE WASTES FROM REMA	S DISCHARGE	ED OF?
PERCENTAGE OF THIS POPULIF LESS THAN 100%, HOW A APPROXIMATE DAILY VOLU RESIDENTIAL	JLATION SERVED BY THI RE WASTES FROM REMA	S DISCHARGE INING POPULATION DISPOSI n stormwater) COLLECTED BY	ED OF?
PERCENTAGE OF THIS POPULIF LESS THAN 100%, HOW A APPROXIMATE DAILY VOLU RESIDENTIAL COMMERCIAL	JLATION SERVED BY THI RE WASTES FROM REMA	S DISCHARGE INING POPULATION DISPOSI n stormwater) COLLECTED BY GPD GPD	ED OF?
PERCENTAGE OF THIS POPULIF LESS THAN 100%, HOW A APPROXIMATE DAILY VOLU RESIDENTIAL COMMERCIAL INDUSTRIAL	JLATION SERVED BY THI RE WASTES FROM REMA	S DISCHARGE COLLECTED BY GPD GPD GPD GPD	ED OF?
PERCENTAGE OF THIS POPULIF LESS THAN 100%, HOW A APPROXIMATE DAILY VOLU RESIDENTIAL COMMERCIAL	JLATION SERVED BY THI RE WASTES FROM REMA UME OF WASTES (other tha	S DISCHARGE INING POPULATION DISPOSI n stormwater) COLLECTED BY GPD GPD	ED OF?

A-7: LIST AND DESCRIBE INDIVIDUAL CONTRIBUTORS WHOSE DISCHARGE IS EXPECTED TO EXCEED 5% OF THE TOTAL IN ITEM A-6 OR WHOSE WASTES CONTAIN TOXIC OR OTHER COMPONENTS WHICH MAY EFFECT COMPOSITION OF TOTAL WASTE LOAD:

	Name	Activity	Waste	Volume (GPD)			
	·						
A-8:	COLLECTION SYSTEM: SEPARATE SANITARY SEWER COMBINED SEWER NUMBER OF PUMPING STATIONS IN COLLECTION SYSTEM: NUMBER OF AIR EJECTION STATIONS:						
A-9:	ARE WASTES CURRENTLY BEING TREATED?						
A-10:	ARE WASTES CURRENTLY BEING CHLORINATED PRIOR TO DISCHARGE? YES NO						
A-11:	ARE NEW TREATMENT FACILITIES OR MODIFICATIONS TO EXISTING FACILITIES IN PLANNING, DESIGN OR UNDER CONSTRUCTION? THE TWO IF, "YES" DESCRIBE TYPE OF FACILITIES TO BE CONSTRUCTED, LEVEL OF TREATMENT, DESIGN CAPACITY, CURRENT STATUS OF PROJECT AND ANTICIPATED SCHEDULE LEADING TO ATTAINMENT OF OPERATIONAL LEVEL.						
A-12:	TREATMENT FACILITY (HE PERSON WHO IS, OR WILL BE, RESPONSIBLE FOR OPERATION AND MAINTENANCE OF TATMENT FACILITY CERTIFIED BY THE AGENCY OF NATURAL RESOURCES AS A TREATME NT OPERATOR?					
	NUMBER OF OPERATORS CURRENTLY EMPLOYED AT THE TREATMENT FACILITY?						
	TOTAL NUMBER OF HOUTREATMENT FACILITY.	JRS PER WEEK SPENT ON OPERA'	TION AND MAINTENANCE OI	THE			
A-13:		SCRIBE METHODS AND PROCEDURES USED FOR SLUDGE PROCESSING AND DISPOSAL (NOT PLICABLE TO AERATED LAGOONS OR STABILIZATION PERIODS).					
		PROCEDURE AND/OR SITES CERT		Пио			


TOWN OF MIDDLEBURY PERMIT NO. 3-1210

ATTACHMENT A

Serial Number S/N 001	Treatment Plant Outfall #001		
Location	Treatment Plant, Industrial Avenue		
Receiving Water	Otter Creek		
Serial Number S/N 002	Combined Sewer Overflow #001		
Location	Pump Station #9, Weybridge Street		
Receiving Water	Otter Creek		
*Serial Number S/N 003	Combined Sewer Overflow #002		
Location	Pump Station #3, Route 23, between		
	Murdock Court and Shannon Street		
Receiving Water	Otter Creek		
Serial Number S/N 005	Combined Sewer Overflow #004		
Location	Pump Station #4, Frog Hollow Road		
Receiving Water	Otter Creek		
Serial Number S/N 007	Combined Sewer Overflow #006		
Location	Manhole, adjacent to VT Railway tracks		
	west of Cross Street and South Pleasant		
	Street Intersection.		
Receiving Water	Otter Creek		
Serial Number S/N 008	Combined Sewer Overflow #007		
Location	Pump Station #8, On Seymour Street.		
Receiving Water	Otter Creek		
Serial Number S/N 011	Combined Sewer Overflow #010		
Location	Pump Station #2, Battel Block		
Receiving Water	Otter Creek		
**Serial Number S/N 012	Combined Sewer Overflow #011		
Location	Pump Station #11, Bakery Lane,		
Receiving Water	Manhole		
	Otter Creek		
Serial Number S/N 013	Combined Sewer Overflow #012		
Location	Pump Station #17, Main Pump Station,		
Receiving Water	Lucius Shaw Lane		
	Otter Creek		

^{*}Note, the Old Combined Sewer Overflow Manhole at Route 23 and Shannon Street has been sealed with concrete. Was previously listed as Overflow #4 but should be Overflow #002.

^{**}During the Bridge construction the overflow line (Overflow # 011) at Bakery Lane Pumping station has been disconnected.



Middlebury Town Plan Land Use Districts Zoning Map

(CBD) Central Business District (GC) General Commercial District (OFA) Office/Apartment District (VRC) Village Residential/Commercial District (VRC) Village Residential/Commer
(AIR) Airport District
(INS) Institutional District
(PHD) Protected Highway District
(HDR) High Density Residential (MDR) Medium Density Residential (ARR) Agricultural/Rural Residential District (FOR/CON) Forest/Conservation District (FLD) Flood Hazard District Floodway and Flood Fringe

and Use and Zoning: Middlebury Town Plan adopted February 11, 1999; amended June 13, 2000. Middlebury Zoning Ordinance adopted May 3, 1995; amended July 18, 2000.

Sewer Service Area: Existing and Planned Sewer Service Area as provided by Middlebury Town Planning Office, per town plan.

Surface Waters: Interpreted from VT Mapping Program Orhophotos, 1:5000, 1978

Source Protection Areas: Vermont Department of Health, USGS 7.5 minute Quandrangles and GPS.

Town Boundary: Digitized from USGS 7.5 minute



TOWN OF MIDDLEBURY PERMIT NO 3-1210

ATTACHMENT C

ALL TOTALS FOR FLOW, BOD, TSS AND PHOSPHORUS ARE AVERAGES FOR THE YEAR 2012.

	Flow MG	BOD Pounds	TSS Pounds	Total
	Yearly	Yearly	Yearly	Phosphorus
	Average	Average	Average	Pounds
American	0.0168	736	45	NA
Hard Cider	2%	23.9%	2.2%	
Otter Creek Brewery *	0.0097 1%	105 3.4%	NA	NA
Cabot	0.340	1,748	674	59
	36%	57%	33%	71%
Town Total	0.940	3,075	2,066	83


^{*}Otter Creek Brewery does not meet or exceed 5% in any one of the 4 catagories listed about but they do have a very high waste strength which does effect the composition of the total waste load.

Last year the average BOD strength of Otter Creek Brewery's wastewater was $1,293 \, \text{mg/l}$.

ATTACHMENT D


Sludge's that are generated by the SBRs are pumped into short-term storage tanks (2 200,000 gallon tanks). The sludge's are then dewatered (thru 2 (1.5) meter Komline presses), lime stabilized and thermal pasteurized to meet Class A standards. This would account for approximately 99% of all the sludge's that we handle.

The remaining 1% is material that has not met the Class A levels of treatment. As there is no way to reintroduce this material back into the system we stock pile the material and then is disposed of it at a landfill in Moretown or Coventry.



PROJECT VICINITY MAP

SCALE 1:24 000



PROPOSED WASTEWATER FACILITIES

TOWN OF MIDDLEBURY ADDISON COUNTY STATE OF VERMONT

APPLICANT: TOWN OF MIDDLEBURY

